

MEP COORDINATION

DISCIPLINES	NAME	SIGNATURE	DATE
ME - HVAC	ATEF ZEIN		
ME - PLUM	ATEF ZEIN		
EE	SAMH HAMZI		

NOTES :

- 1- ALL DIMENSION ARE IN MILLIMETER.
- 2- ALL CONDUITS RUN EMBEDDED IN CONCRETE SLAB SHALL BE IN 20mm# PVC CONDUIT UNLESS OTHERWISE INDICATED.
- 3- ALL EXPOSED CONDUITS SHALL BE IN 20mm# RIGID STEEL CONDUITS UNLESS OTHERWISE INDICATED.
- 4- ALL INSTALLATION IN WET AND HUMID AREAS SHALL BE WEATHER PROOF EVEN THOUGH SPECIFICALLY INDICATED ON THE DRAWING OR NOT.
- 5- THE SYSTEM SHALL BE PROVIDED TOTAL ADDRESS ABILITY FOR ALL OUTSTATION DEVICES CONNECTED TO IT.
- 6 - ALL SYSTEM SHOULD BE COORDINATED TO ALL TRADES.
- 7- FOR REFERENCE DRAWING EXTRA LOW VOLTAGE LAYOUT REFER TO DRAWING NO. MS.04.100.T.
- 8- FOR REFERENCE DRAWING EXTRA LOW VOLTAGE TELECOMMUNICATION RISER DIAGRAM REFER TO DRAWING NO. MS.04.506.C.
- 9- FOR REFERENCE DRAWING EXTRA LOW VOLTAGE LEGEND REFER TO DRAWING NO. E.04.02.
- 10- FOR REFERENCE DRAWING EXTRA LOW VOLTAGE NOTES REFER TO DRAWING NO. E.04.03.

LEGEND :

AV-DA	AUDIO VIDEO - DISTRIBUTION AMPLIFIER
VIU	VIDEO INTERCOM UNIT AT MAIN ENTRANCE (TOWER)
DBP	DOOR BELL PUSH
VIU	HANDSFREE VIDEO INTERCOM UNIT AT APARTMENT (TOWER & TOWNHOUSE)
	25mm DIA PVC CONDUIT IN L2 SLAB
	65mm # ROUND DRAW BOX

ABBREVIATION:

PVC	POLY VINYL CHLORIDE
AV-DA	AUDIO VIDEO - DISTRIBUTION AMPLIFIER

REV	DATE	DRAWN BY	CHECKED BY	APPROVED BY	DESCRIPTION
0	02-11-2008	C. MANCINI	SAMH HAMZI	ATEF ZEIN	FIRST ISSUE FOR APPROVAL

EMPLOYER:



United Development Company
 P.O. Box 7258
 Doha, Qatar
 T 974 436 1542
 F 974 435 5219

FOR ENGINEER'S STAMP:

PROJECT MANAGEMENT & CONSULTANTS (PMC):



dar al-handasah shair and partners
 DOHA - BEIRUT - CAIRO - LONDON

MAIN CONTRACTOR:





ACC
 CONTRACTOR:
 Qatar Arabian Construction Co.
 P.O. Box 24001
 Doha, Qatar
 T 974 442 7316
 F 974 442 7310

SUB CONTRACTOR:



QATAR TECHNICAL SUPPORT
ELECTRO - MECHANICAL ENGINEERING
 P.O. BOX 23508 DOHA QATAR TEL: 4806111- FAX:4806048

PROJECT NAME:

THE PEARL
 QATAR
PORTO ARABIA
 THE PEARL - QATAR
 PARCELS P1-M & P1-A5

PARCEL-04
 TOWER - LEVEL T - COMMON AREA
 INTERCOM SYSTEM

SIZE	DATE	ORG	TRADE	LOC / BUILDING	FLOOR / LEVEL	SERIAL NUMBER	REV
100	02-11-2008	05	C	S	T A	L 1	0 2 4 3 0

